

RED HANDFLARE

Wescom Signal and Rescue Australia Pty Ltd

Wescom Group: **63-8488** Version No: **3.1.1.1**

Safety Data Sheet according to WHS and ADG requirements

Issue Date: **24/09/2021**Print Date: **24/09/2021**L.GHS.AUS.EN

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

| Product Identifier | | |
|-------------------------------|--|--|
| Product name RED HANDFLARE | | |
| Synonyms | Comet Red Handflare, ArtNo. 9162800,9162801,9162803,9162806, 9162807, 9162850; Pains Wessex Red Handflare MK8, ArtNo.: 9529000, 9529007, 9529050; Aurora Red Handflare, ArtNo. 9162900, 9528500, 9528550; Oroquieta Handflare, Red, Chimi2, ArtNo. 9162400 | |
| Proper shipping name | SIGNAL DEVICES, HAND | |
| Other means of identification | Not Available | |

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Use according to manufacturer's directions.

Sea distress signal. For use day or night Red Handflare is a short range distress signal used to pinpoint position. May be carried on ships bridge and six are required to be fitted in ships lifeboats and liferafts. The handflare is suitable for use on other commercial and recreational boats.

Details of the supplier of the safety data sheet

| Registered company name | Wescom Signal and Rescue Australia Pty Ltd | Wescom Signal and Rescue Germany GmbH |
|-------------------------|---|---|
| Address | 22 Naxos Way, Keysborough Victoria 3173 Australia | Vieländer Weg 147 Bremerhaven 27574 Germany |
| Telephone | +61 3 9650 1488 | +49 471 3930 |
| Fax | + 613 9639 8811 | +49 471 3932 10 |
| Website | www.aurora-marine.com | www.wescom-group.com |
| Email | info@aurora-marine.com | info@wescom-group.com |

Emergency telephone number

| Association / Organisation | Wescom Signal and Rescue Australia Pty Ltd |
|-----------------------------------|--|
| Emergency telephone numbers | +800 2436 2255 |
| Other emergency telephone numbers | +61 3 9573 3112 |

SECTION 2 HAZARDS IDENTIFICATION

Classification of the substance or mixture

| Poisons Schedule | Poisons Schedule Not Applicable Classification [1] Explosive Division 1.4 | |
|--------------------|--|--|
| Classification [1] | | |
| Legend: | 1. Classified by Wescom Group; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI | |

Label elements



Hazard pictogram(s)
SIGNAL WORD

Hazard statement(s)

H204 Fire or projection hazard.

Precautionary statement(s) Prevention

| P210 | P210 Keep away from heat/sparks/open flames/hot surfaces No smoking. | |
|------|--|--|
| P250 | Do not subject to grinding/shock/sources of friction. | |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection. | |
| P240 | Ground/bond container and receiving equipment. | |

RED HANDFLARE

Issue Date: **24/09/2021**Print Date: **24/09/2021**

Precautionary statement(s) Response

| P370+P380 | In case of fire: Evacuate area. | |
|-----------|--|--|
| P372 | Explosion risk in case of fire. | |
| P374 | Fight fire with normal precautions from a reasonable distance. | |
| P373 | DO NOT fight fire when fire reaches explosives. | |

Precautionary statement(s) Storage

| P401 | Store according to local regulations for explosives. |
|------|--|
|------|--|

Precautionary statement(s) Disposal

| P501 | Dispose of contents/container in accordance with local regulations. |
|------|---|
|------|---|

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Substances

See section below for composition of Mixtures

Mixtures

| CAS No | %[weight] | Name |
|---------------|-----------|---|
| Not Available | | device contains |
| Not Available | | lighter composition, delay composition and ignition composition |
| Not Available | | pyrotechnic materials of; |
| 7757-79-1 | >60 | potassium nitrate |
| 7439-95-4 | 30-60 | <u>magnesium</u> |
| 10042-76-9 | 30-60 | strontium nitrate |
| 9002-86-2 | 10-30 | polyvinyl chloride |
| 10022-31-8 | 30-60 | <u>barium nitrate</u> |
| 7429-90-5 | 5-10 | aluminium |

SECTION 4 FIRST AID MEASURES

Description of first aid measures

| Eye Contact | If this product comes in contact with eyes: Wash out immediately with water. If irritation continues, seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. |
|--------------|--|
| Skin Contact | If skin contact occurs: In Immediately remove all contaminated clothing, including footwear. In Flush skin and hair with running water (and soap if available). In Seek medical attention in event of irritation. |
| Inhalation | If fumes or combustion products are inhaled remove from contaminated area. Lay patient down. Keep warm and rested. Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures. Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary. Transport to hospital, or doctor, without delay. |
| Ingestion | Not considered a normal route of entry. If swallowed do NOT induce vomiting. If owniting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Seek medical advice. |

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 FIREFIGHTING MEASURES

Extinguishing media

DANGER: Deliver media remotely.

- ▶ For minor fires: Flooding quantities only.
- For large fires: **Do not** attempt to extinguish.

Apply by mechanical means only. Fight all fires from a remote and explosion resistant site.

Special hazards arising from the substrate or mixture

| Fire Incompatibility | Avoid contact with other chemicals. |
|----------------------|-------------------------------------|

Page **3** of **10**

RED HANDFLARE

Issue Date: **24/09/2021**Print Date: **24/09/2021**

| Fire Fighting | WARNING: EXPLOSIVE MATERIALS / ARTICLES PRESENT! b Evacuate all personnel and move upwind. b Prevent re-entry. b Alert Fire Brigade and tell them location and nature of hazard. b May detonate and burning material may be propelled from fire. b Wear full-body protective clothing with breathing apparatus. b Prevent, by any means available, spillage and fire effluent from entering drains and water courses. b Fight fire from safe distances and from protected locations. b Use flooding quantities of water. b DO NOT approach containers or packages suspected to be hot. b Cool any exposed containers not involved in fire from a protected location. b Equipment should be thoroughly decontaminated after use. Slight hazard when exposed to heat, flame and oxidisers. | |
|-----------------------|---|--|
| Fire/Explosion Hazard | Division 1.4 Substances, mixtures and articles which present no significant hazard: substances, mixtures and articles which present only a small hazard in the event of ignition or initiation. The effects are largely confined to the package and no projection of fragments of appreciable size or range is to be expected. An external fire shall not cause virtually instantaneous explosion of almost the entire contents of the package. Compatibility Group G explosives are pyrotechnic substances, or article containing a pyrotechnic substances, or article containing both an explosive substance and an illuminating, incendiary, tear- or smoke-producing substance (other than a water-activated article or one containing white phosphorus, phosphides, a pyrophoric substance, a flammable liquid or gel, or hypergolic liquids). Combustible. Will burn if ignited. Combustion products include: carbon monoxide (CO) carbon dioxide (CO2) other pyrolysis products typical of burning organic material. | |
| HAZCHEM | HEM 1YE | |

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

| methods and material for cor | transment and cleaning up |
|------------------------------|---|
| Minor Spills | WARNING!: EXPLOSIVE. BLAST and/or PROJECTION and/or FIRE HAZARD Clean up all spills immediately. Avoid inhalation of the material and avoid contact with eyes and skin. Wear impervious gloves and safety glasses. Remove all ignition sources. Use spark-free tools when handling. Sweep into non-sparking containers or barrels and moisten with water. Place spilled material in clean, sealable, labelled container for disposal. Flush area with large amounts of water. |
| Major Spills | WARNING! EXPLOSIVE. Clear area of personnel and move upwind. Alert Fire Brigade and tell them location and nature of hazard. May be violently or explosively reactive. Wear full body protective clothing with breathing apparatus. Consider evacuation (or protect in place). In case of transport accident notify Police, Emergency Authority, Competent Explosives Authority or Manufacturer. No smoking, naked lights, heat or ignition sources. Increase ventilation. Use extreme caution to prevent physical shock. Use only spark-free shovels and explosion-proof equipment. Collect recoverable material and segregate from spilled material. Wash spill area with large quantities of water. |

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 HANDLING AND STORAGE

| SECTION / HANDLING AND | TOTAL |
|-------------------------------|--|
| Precautions for safe handling | 9 |
| Safe handling | Handle gently. Use good occupational work practice. Observe manufacturer's storage and handling recommendations contained within this SDS. Avoid all personal contact, including inhalation. Avoid smoking, naked lights, heat or ignition sources. Explosives must not be struck with metal implements. Avoid mechanical and thermal shock and friction. Use in a well ventilated area. Avoid contact with incompatible materials. When handling DO NOT eat, drink or smoke. Avoid physical damage to containers. Always wash hands with soap and water after handling. Work clothes should be laundered separately. |
| Other information | Store cases in a well ventilated magazine licensed for the appropriate Class, Division and Compatibility Group. Rotate stock to prevent ageing. Use on FIFO (first in-first out) basis. Observe manufacturer's storage and handling recommendations contained within this SDS. Store in a cool place in original containers. |

Page 4 of 10

RED HANDFLARE

Issue Date: **24/09/2021**Print Date: **24/09/2021**

- Keep containers securely sealed.
- No smoking, naked lights, heat or ignition sources.
- Store in an isolated area away from other materials.
- Keep storage area free of debris, waste and combustibles.
- Protect containers against physical damage.
- Check regularly for spills and leaks

NOTE: If explosives need to be destroyed contact the Competent Authority.

Store away from incompatible materials.

Keep out of reach of children.

Conditions for safe storage, including any incompatibilities

Suitable container

- ▶ All packaging for Class 1 Goods shall be in accordance with the requirements of the relevant Code for the transport of Dangerous Goods.
- Class 1 is unique in that the type of packaging used frequently has a very decisive effect on the hazard and therefore on the assignment to a particular division

Storage incompatibility

- Avoid contact with other explosives, pyrotechnics, solvents, adhesives, paints, cleaners and unauthorized metals, plastics, packing equipment and materials.
- Avoid contamination with acids, alkalis, reducing agents, amines and phosphorus.
- Explosion hazard may follow contact with incompatible materials

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

| Source | Ingredient | Material name | TWA | STEL | Peak | Notes |
|------------------------------|----------------|-----------------------------------|-----------|---------------|---------------|---------------|
| Australia Exposure Standards | barium nitrate | Barium, soluble compounds (as Ba) | 0.5 mg/m3 | Not Available | Not Available | Not Available |
| Australia Exposure Standards | aluminium | Aluminium, pyro powders (as Al) | 5 mg/m3 | Not Available | Not Available | Not Available |
| Australia Exposure Standards | aluminium | Aluminium (metal dust) | 10 mg/m3 | Not Available | Not Available | Not Available |
| Australia Exposure Standards | aluminium | Aluminium (welding fumes) (as AI) | 5 mg/m3 | Not Available | Not Available | Not Available |

EMERGENCY LIMITS

| Ingredient | Material name | TEEL-1 | TEEL-2 | TEEL-3 |
|--------------------|--------------------|-----------|-----------|-------------|
| potassium nitrate | Potassium nitrate | 9 mg/m3 | 100 mg/m3 | 600 mg/m3 |
| magnesium | Magnesium | 18 mg/m3 | 200 mg/m3 | 1,200 mg/m3 |
| strontium nitrate | Strontium nitrate | 5.7 mg/m3 | 62 mg/m3 | 370 mg/m3 |
| polyvinyl chloride | Polyvinyl chloride | 3 mg/m3 | 33 mg/m3 | 200 mg/m3 |
| barium nitrate | Barium nitrate | 2.9 mg/m3 | 350 mg/m3 | 2,100 mg/m3 |

| Ingredient | Original IDLH | Revised IDLH |
|--------------------|---------------|---------------|
| potassium nitrate | Not Available | Not Available |
| magnesium | 500 mg/m3 | Not Available |
| strontium nitrate | Not Available | Not Available |
| polyvinyl chloride | Not Available | Not Available |
| barium nitrate | 50 mg/m3 | Not Available |
| aluminium | Not Available | Not Available |

MATERIAL DATA

Exposure controls

| Appropriate engineering controls | Engineering controls for explosive articles are designed to reduce or eliminate fragmentation and/or blast effects either by suppression of the source of detonation or by protection at the exposed location, or both. Barricades, shields, contained detonation chambers, and "zero quantity-distance (Q-D)" magazines are examples of engineering controls. Engineering controls are designed and tested in a rigorous fashion. The construction of the engineering control must be carefully duplicated in field applications to assure it will function properly. It is thus imperative that engineering controls be built exactly in accordance with the design package, and that they be used only for the articles (e.g.munitions) for which they are authorised. |
|----------------------------------|--|
| | |

Personal protection







Eye and face protection

- Safety glasses with side shields
- Chemical goggles

Skin protection

See Hand protection below

Hands/feet protection

- Wear chemical protective gloves, e.g. PVC.
- Wear safety footwear or safety gumboots, e.g. Rubber

Body protection

See Other protection below

RED HANDFLARE

Issue Date: **24/09/2021**Print Date: **24/09/2021**

Other protection

- Fire resistant/ heat resistant gloves where practical, otherwise
- Heavy-duty chemically resistant gloves capable of providing short-term protection against spontaneous ignition.
- Safety footwear

Hard hat ||Ear Protection.

Respiratory protection

Respiratory protection not normally required due to the physical form of the product.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

| Appearance | Steel tube with orange/yellow/green outer casing pressed with black/grey polytechnical ingredients, contains ignitor and a grip. | | |
|--|--|---|----------------|
| Physical state | Manufactured | Relative density (Water = 1) | Not Applicable |
| Odour | Not Available | Partition coefficient n-octanol / water | Not Available |
| Odour threshold | Not Available | Auto-ignition temperature (°C) | Not Applicable |
| pH (as supplied) | Not Applicable | Decomposition temperature | >71 |
| Melting point / freezing point (°C) | Not Applicable | Viscosity (cSt) | Not Applicable |
| Initial boiling point and boiling range (°C) | Not Applicable | Molecular weight (g/mol) | Not Applicable |
| Flash point (°C) | 160 | Taste | Not Available |
| Evaporation rate | Not Applicable | Explosive properties | Not Available |
| Flammability | Not Applicable | Oxidising properties | Not Available |
| Upper Explosive Limit (%) | Not Available | Surface Tension (dyn/cm or mN/m) | Not Applicable |
| Lower Explosive Limit (%) | Not Available | Volatile Component (%vol) | Not Applicable |
| Vapour pressure (kPa) | Not Applicable | Gas group | Not Available |
| Solubility in water | Immiscible | pH as a solution (1%) | Not Applicable |
| Vapour density (Air = 1) | Not Applicable | VOC g/L | Not Available |

SECTION 10 STABILITY AND REACTIVITY

| Reactivity | See section 7 |
|------------------------------------|---|
| Chemical stability | Presence of shock and friction Presence of heat source and ignition source Product is considered stable under normal handling conditions. Stable under normal storage conditions. Hazardous polymerization will not occur. Avoid contact with other chemicals. |
| Possibility of hazardous reactions | See section 7 |
| Conditions to avoid | See section 7 |
| Incompatible materials | See section 7 |
| Hazardous decomposition products | See section 5 |

SECTION 11 TOXICOLOGICAL INFORMATION

Information on toxicological effects

| illiorillation on toxicological | circuits . |
|---------------------------------|--|
| Inhaled | Not normally a hazard due to physical form of product. Inhalation of vapour is more likely at higher than normal temperatures. The vapour is discomforting |
| Ingestion | Not normally a hazard due to physical form of product. |
| Skin Contact | Not normally a hazard due to physical form of product. The vapour is discomforting |
| Еуе | Not normally a hazard due to physical form of product. The vapour is discomforting |
| Chronic | ■ Generally not applicable. Principal hazards are related to the explosive/ decomposition by products of the cartridge, if inadvertently discharged or launched without adequate control and safety measures in place. Normal exposure to the article by all route is considered to be practically non-harmful. Over exposure to fumes from firing is harmful. |

| DED HANDELARE | TOXICITY | IRRITATION |
|---------------|---------------|---------------|
| RED HANDFLARE | Not Available | Not Available |

Issue Date: 24/09/2021 Print Date: 24/09/2021

| | 1 | | |
|---|---|--|--|
| | TOXICITY | IRRITATION | |
| potassium nitrate | dermal (rat) LD50: >5000 mg/kg ^[1] | Not Available | |
| | Oral (rat) LD50: >2000 mg/kg ^[1] | | |
| | TOXICITY | IRRITATION | |
| magnesium | Oral (rat) LD50: >2000 mg/kg ^[1] | Not Available | |
| | тохісіту | IRRITATION | |
| strontium nitrate | Oral (rat) LD50: 1892 mg/kg ^[2] | Eye: adverse effe | ct observed (irritating) ^[1] |
| | | Skin: no adverse | effect observed (not irritating) ^[1] |
| | тохісіту | IRRITATION | |
| polyvinyl chloride | Not Available | Not Available | |
| | TOXICITY | IRRITATION | |
| barium nitrate | Oral (rat) LD50: >50-300 mg/kg ^[1] | Eye (rabbit):100 r | ng/24h - moderate |
| | | Skin (rabbit): 500 | mg/24h - mild |
| | тохісіту | IRRITATION | |
| aluminium | Oral (rat) LD50: >2000 mg/kg ^[1] | Eye: no adverse | effect observed (not irritating) ^[1] |
| | | Skin: no adverse | effect observed (not irritating) ^[1] |
| Legend: | Value obtained from Europe ECHA Registered Substances data extracted from RTECS - Register of Toxic Effect of chen | • | rom manufacturer's SDS. Unless otherwise specified |
| POLYVINYL CHLORIDE | The substance is classified by IARC as Group 3: NOT classifiable as to its carcinogenicity to humans. Evidence of carcinogenicity may be inadequate or limited in animal testing. | | |
| BARIUM NITRATE | The material may produce moderate eye irritation leading to inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis. The material may cause skin irritation after prolonged or repeated exposure and may produce a contact dermatitis (nonallergic). This form of dermatitis is often characterised by skin redness (erythema) and swelling epidermis. Histologically there may be intercellular oedema of the spongy layer (spongiosis) | | |
| 27.11.0.11.11.11.1.2 | , | eated exposure and may produce a | contact dermatitis (nonallergic). This form of dermatitis is |
| STRONTIUM NITRATE & POLYVINYL CHLORIDE | often characterised by skin redness (erythema) and swelling | eated exposure and may produce a epidermis. Histologically there may after exposure to the material ceases cur following exposure to high levels only disease, in a non-atopic individua ant. A reversible airflow pattern, on space of minimal lymphocytic inflammation in irritating inhalation is an infrequential bronchitis, on the other hand, is a | contact dermatitis (nonallergic). This form of dermatitis is be intercellular oedema of the spongy layer (spongiosis) 5. This may be due to a non-allergenic condition known as of highly irritating compound. Key criteria for the lay with abrupt onset of persistent asthma-like symptoms irrometry, with the presence of moderate to severe bronchial n, without eosinophilia, have also been included in the disorder with rates related to the concentration disorder that occurs as result of exposure due to high |
| STRONTIUM NITRATE & | often characterised by skin redness (erythema) and swelling and intracellular oedema of the epidermis. Asthma-like symptoms may continue for months or even years reactive airways dysfunction syndrome (RADS) which can oc diagnosis of RADS include the absence of preceding respirate within minutes to hours of a documented exposure to the irritat hyperreactivity on methacholine challenge testing and the lack criteria for diagnosis of RADS. RADS (or asthma) following a of and duration of exposure to the irritating substance. Industriconcentrations of irritating substance (often particulate in nature. | eated exposure and may produce a epidermis. Histologically there may after exposure to the material ceases cur following exposure to high levels by disease, in a non-atopic individuant. A reversible airflow pattern, on sp of minimal lymphocytic inflammation in irritating inhalation is an infrequential bronchitis, on the other hand, is a ure) and is completely reversible after the product of th | contact dermatitis (nonallergic). This form of dermatitis is be intercellular oedema of the spongy layer (spongiosis) 5. This may be due to a non-allergenic condition known as of highly irritating compound. Key criteria for the lay with abrupt onset of persistent asthma-like symptoms irrometry, with the presence of moderate to severe bronchial n, without eosinophilia, have also been included in the disorder with rates related to the concentration disorder that occurs as result of exposure due to high |
| STRONTIUM NITRATE & POLYVINYL CHLORIDE | often characterised by skin redness (erythema) and swelling and intracellular oedema of the epidermis. Asthma-like symptoms may continue for months or even years reactive airways dysfunction syndrome (RADS) which can or diagnosis of RADS include the absence of preceding respirate within minutes to hours of a documented exposure to the irrital hyperreactivity on methacholine challenge testing and the lack criteria for diagnosis of RADS. RADS (or asthma) following a of and duration of exposure to the irritating substance. Industric concentrations of irritating substance (often particulate in nature dyspnea, cough and mucus production. | eated exposure and may produce a epidermis. Histologically there may after exposure to the material ceases cur following exposure to high levels by disease, in a non-atopic individuant. A reversible airflow pattern, on sp of minimal lymphocytic inflammation in irritating inhalation is an infrequential bronchitis, on the other hand, is a ure) and is completely reversible after the product of th | contact dermatitis (nonallergic). This form of dermatitis is be intercellular oedema of the spongy layer (spongiosis) 5. This may be due to a non-allergenic condition known as of highly irritating compound. Key criteria for the lay with abrupt onset of persistent asthma-like symptoms irrometry, with the presence of moderate to severe bronchial n, without eosinophilia, have also been included in the disorder with rates related to the concentration disorder that occurs as result of exposure due to high |
| STRONTIUM NITRATE & POLYVINYL CHLORIDE POLYVINYL CHLORIDE & ALUMINIUM | often characterised by skin redness (erythema) and swelling and intracellular oedema of the epidermis. Asthma-like symptoms may continue for months or even years reactive airways dysfunction syndrome (RADS) which can oc diagnosis of RADS include the absence of preceding respirate within minutes to hours of a documented exposure to the irrital hyperreactivity on methacholine challenge testing and the lack criteria for diagnosis of RADS. RADS (or asthma) following a of and duration of exposure to the irritating substance. Industrict concentrations of irritating substance (often particulate in nature dyspnea, cough and mucus production. | eated exposure and may produce a epidermis. Histologically there may after exposure to the material ceases cour following exposure to high levels by disease, in a non-atopic individuant. A reversible airflow pattern, on spood of minimal lymphocytic inflammation in irritating inhalation is an infrequent ial bronchitis, on the other hand, is a ure) and is completely reversible after search. | contact dermatitis (nonallergic). This form of dermatitis is be intercellular oedema of the spongy layer (spongiosis) 5. This may be due to a non-allergenic condition known as of highly irritating compound. Key criteria for the lay with abrupt onset of persistent asthma-like symptoms irrometry, with the presence of moderate to severe bronchial n, without eosinophilia, have also been included in the disorder with rates related to the concentration disorder that occurs as result of exposure due to high |
| STRONTIUM NITRATE & POLYVINYL CHLORIDE POLYVINYL CHLORIDE & ALUMINIUM Acute Toxicity | often characterised by skin redness (erythema) and swelling and intracellular oedema of the epidermis. Asthma-like symptoms may continue for months or even years reactive airways dysfunction syndrome (RADS) which can oc diagnosis of RADS include the absence of preceding respirate within minutes to hours of a documented exposure to the irritat hyperreactivity on methacholine challenge testing and the lack criteria for diagnosis of RADS. RADS (or asthma) following a of and duration of exposure to the irritating substance. Industriconcentrations of irritating substance (often particulate in natidyspnea, cough and mucus production. No significant acute toxicological data identified in literature seems. | eated exposure and may produce a epidermis. Histologically there may after exposure to the material ceases cur following exposure to high levels only disease, in a non-atopic individua and A reversible airflow pattern, on space of minimal lymphocytic inflammation in irritating inhalation is an infrequential bronchitis, on the other hand, is a ure) and is completely reversible after search. Carcinogenicity | contact dermatitis (nonallergic). This form of dermatitis is be intercellular oedema of the spongy layer (spongiosis) 5. This may be due to a non-allergenic condition known as of highly irritating compound. Key criteria for the lay with abrupt onset of persistent asthma-like symptoms irrometry, with the presence of moderate to severe bronchial n, without eosinophilia, have also been included in the disorder with rates related to the concentration disorder that occurs as result of exposure due to high |
| STRONTIUM NITRATE & POLYVINYL CHLORIDE POLYVINYL CHLORIDE & ALUMINIUM Acute Toxicity Skin Irritation/Corrosion | often characterised by skin redness (erythema) and swelling and intracellular oedema of the epidermis. Asthma-like symptoms may continue for months or even years reactive airways dysfunction syndrome (RADS) which can oc diagnosis of RADS include the absence of preceding respirate within minutes to hours of a documented exposure to the irritar hyperreactivity on methacholine challenge testing and the lackcriteria for diagnosis of RADS. RADS (or asthma) following a of and duration of exposure to the irritating substance. Industriconcentrations of irritating substance (often particulate in natic dyspnea, cough and mucus production. No significant acute toxicological data identified in literature s | eated exposure and may produce a epidermis. Histologically there may safter exposure to the material ceases cur following exposure to high levels ont. A reversible airflow pattern, on space of minimal lymphocytic inflammation an irritating inhalation is an infrequential bronchitis, on the other hand, is a sure) and is completely reversible after search. Carcinogenicity Reproductivity | contact dermatitis (nonallergic). This form of dermatitis is be intercellular oedema of the spongy layer (spongiosis) 5. This may be due to a non-allergenic condition known as of highly irritating compound. Key criteria for the lay with abrupt onset of persistent asthma-like symptoms irrometry, with the presence of moderate to severe bronchial n, without eosinophilia, have also been included in the disorder with rates related to the concentration disorder that occurs as result of exposure due to high |

Legend:

X − Data either not available or does not fill the criteria for classification
 V − Data available to make classification

SECTION 12 ECOLOGICAL INFORMATION

Toxicity

| | ENDPOINT | TEST DURATION (HR) | SPECIES | VALUE | SOURC |
|-------------------|------------------|--------------------|-------------------------------|------------------|------------------|
| RED HANDFLARE | Not Available | Not Available | Not Available | Not Available | Not Available |
| potassium nitrate | ENDPOINT | TEST DURATION (HR) | SPECIES | VALUE | SOURC |
| | LC50 | 96 | Fish | 1-378mg/L | 2 |
| | EC50 | 48 | Crustacea | 490mg/L | 2 |
| | EC50 | 96 | Algae or other aquatic plants | 1181.887mg/L | 3 |
| | NOEC | 720 | Fish | 58mg/L | 2 |

Page **7** of **10**

RED HANDFLARE

Issue Date: 24/09/2021 Print Date: 24/09/2021

| | ENDPOINT | TEST DURATION (HR) | SPECIES | | VALUE | SOURC |
|--------------------|----------|--------------------|-------------------------------|------------|--------------------|-------|
| magnesium | LC50 | 96 | Fish | | 1-595mg/L | 2 |
| | EC50 | 48 | Crustacea | | 344mg/L | 2 |
| | EC50 | 72 | Algae or other aquatic plants | | 1-195mg/L | 2 |
| | NOEC | 96 | Crustacea | | 1-mg/L | 2 |
| | ENDPOINT | TEST DURATION (HR) | SPECIES | | VALUE | SOURC |
| | LC50 | 96 | Fish | | >40.3mg/L | 2 |
| strontium nitrate | EC50 | 48 | Crustacea | | 0.094-mg/L | 2 |
| | EC50 | 72 | Algae or other aquatic plants | | >43.3mg/L | 2 |
| | NOEC | 2 | Crustacea | i i | >0.008- 762mg/L | 2 |
| | ENDPOINT | TEST DURATION (HR) | SPECIES | 1 | VALUE | SOURC |
| polyvinyl chloride | LC50 | 96 | Fish | | 2.315mg/L | 3 |
| | EC50 | 96 | Algae or other aquatic plants | 1 | 25.141mg/L | 3 |
| | ENDPOINT | TEST DURATION (HR) | SPECIES | V | ALUE | SOURC |
| havium nituata | LC50 | 96 | Fish | > | -3.5mg/L | 2 |
| barium nitrate | EC50 | 72 | Algae or other aquatic plants | > | -1.15mg/L | 2 |
| | NOEC | 72 | Algae or other aquatic plants | > | >=1.15mg/L | 2 |
| aluminium | ENDPOINT | TEST DURATION (HR) | SPECIES | VALU | E | SOURC |
| | LC50 | 96 | Fish | 0.001 | -0.134mg/L | 2 |
| | EC50 | 48 | Crustacea | 0.7364mg/L | | 2 |
| | EC50 | 72 | Algae or other aquatic plants | 0.001 | -0.799mg/L | 2 |
| | BCF | 360 | Algae or other aquatic plants | 9mg/L | | 4 |
| | NOEC | 168 | Crustacea | 0.001- | -mg/L | 2 |

Persistence and degradability

| Ingredient | Persistence: Water/Soil | Persistence: Air |
|--------------------|-------------------------|------------------|
| potassium nitrate | LOW | LOW |
| polyvinyl chloride | LOW | LOW |

(Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data

Bioaccumulative potential

| Ingredient | Bioaccumulation | |
|--------------------|-----------------------|--|
| potassium nitrate | LOW (LogKOW = 0.209) | |
| polyvinyl chloride | LOW (LogKOW = 1.6233) | |

Mobility in soil

| Ingredient | Mobility | |
|--------------------|-------------------|--|
| potassium nitrate | LOW (KOC = 14.3) | |
| polyvinyl chloride | LOW (KOC = 23.74) | |

SECTION 13 DISPOSAL CONSIDERATIONS

Waste treatment methods

■ Explosives must not be thrown away, buried, discarded or placed with garbage.

Product / Packaging disposal

■ Explosives which are surplus, deteriorated or considered unsafe for transport, storage or use shall be destroyed and the statutory authorities shall be notified.

(QSAR) - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE

■ This material may be disposed of by burning or detonation but the operation may only be performed under the control of a person trained in the safe destruction of explosives

Refer to local Waste Disposal Authority and supplier for suitable disposal procedure.

SECTION 14 TRANSPORT INFORMATION

Labels Required

Issue Date: 24/09/2021 Print Date: 24/09/2021

RED HANDFLARE



Land transport (ADG)

| UN number | 191 | | | | |
|------------------------------|---|--|--|--|--|
| UN proper shipping name | SIGNAL DEVICES, HAND | | | | |
| Transport hazard class(es) | Class 1.4G Subrisk Not Applicable | | | | |
| Packing group | Not Applicable | | | | |
| Environmental hazard | Not Applicable | | | | |
| Special precautions for user | Special provisions Not Applicable Limited quantity 0 | | | | |

Air transport (ICAO-IATA / DGR)

| UN number | 0191 | | | |
|------------------------------|-----------------------|----------------|----------------|--|
| UN proper shipping name | Signal devices, hand | | | |
| | ICAO/IATA Class | 1.4G | | |
| Transport hazard class(es) | ICAO / IATA Subrisk | Not Applicable | | |
| | ERG Code | 1L | | |
| Packing group | Not Applicable | | | |
| Environmental hazard | Not Applicable | | | |
| | Special provisions | | Not Applicable | |
| | Cargo Only Packing Ir | 135 | | |
| | Cargo Only Maximum | 75 kg | | |
| Special precautions for user | Passenger and Cargo | Forbidden | | |
| | Passenger and Cargo | Forbidden | | |
| | Passenger and Cargo | Forbidden | | |
| | Passenger and Cargo | Forbidden | | |

Sea transport (IMDG-Code / GGVSee)

| UN number | 0191 | | | | |
|------------------------------|---|--|--|--|--|
| UN proper shipping name | SIGNAL DEVICES, HAND | | | | |
| Transport hazard class(es) | IMDG Class 1.4G IMDG Subrisk Not Applicable | | | | |
| Packing group | Not Applicable | | | | |
| Environmental hazard | Not Applicable | | | | |
| Special precautions for user | EMS Number F-B , S-X Special provisions Not Applicable Limited Quantities 0 | | | | |

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

SECTION 15 REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture

POTASSIUM NITRATE(7757-79-1) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Dangerous Goods Code (ADG Code) - Dangerous Goods List Australia Dangerous Goods Code (ADG Code) - List of Emergency Action Codes

International Maritime Dangerous Goods Requirements (IMDG Code) United Nations Recommendations on the Transport of Dangerous Goods Model Regulations

International Air Transport Association (IATA) Dangerous Goods Regulations

Australia Inventory of Chemical Substances (AICS)

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Appendix

Page 9 of 10

RED HANDELARE

Issue Date: 24/09/2021 Print Date: 24/09/2021

MAGNESIUM(7439-95-4) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Dangerous Goods Code (ADG Code) - Dangerous Goods List Australia Dangerous Goods Code (ADG Code) - List of Emergency Action Codes

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals

Australia Inventory of Chemical Substances (AICS)

International Air Transport Association (IATA) Dangerous Goods Regulations International Maritime Dangerous Goods Requirements (IMDG Code)

United Nations Recommendations on the Transport of Dangerous Goods Model Regulations

STRONTIUM NITRATE(10042-76-9) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Dangerous Goods Code (ADG Code) - Dangerous Goods List

Australia Dangerous Goods Code (ADG Code) - List of Emergency Action Codes

Australia Inventory of Chemical Substances (AICS)

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Appendix E (Part 2)

International Air Transport Association (IATA) Dangerous Goods Regulations

International Maritime Dangerous Goods Requirements (IMDG Code) United Nations Recommendations on the Transport of Dangerous Goods Model Regulations

POLYVINYL CHLORIDE(9002-86-2) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Inventory of Chemical Substances (AICS)

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

BARIUM NITRATE(10022-31-8) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Dangerous Goods Code (ADG Code) - Dangerous Goods List

Australia Dangerous Goods Code (ADG Code) - List of Emergency Action Codes Australia Exposure Standards

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals

Australia Inventory of Chemical Substances (AICS)

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Appendix

E (Part 2)

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Index Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Part 2, Section Seven - Appendix I

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 6

International Air Transport Association (IATA) Dangerous Goods Regulations

International Maritime Dangerous Goods Requirements (IMDG Code)

United Nations Recommendations on the Transport of Dangerous Goods Model Regulations

ALUMINIUM(7429-90-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Dangerous Goods Code (ADG Code) - Dangerous Goods List

Australia Dangerous Goods Code (ADG Code) - List of Emergency Action Codes Australia Exposure Standards

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals

Australia Inventory of Chemical Substances (AICS) International Air Transport Association (IATA) Dangerous Goods Regulations International Maritime Dangerous Goods Requirements (IMDG Code)

United Nations Recommendations on the Transport of Dangerous Goods Model Regulations

National Inventory Status

| National Inventory | Status |
|-------------------------------|---|
| Australia - AICS | Yes |
| Canada - DSL | Yes |
| Canada - NDSL | No (strontium nitrate; barium nitrate; magnesium; polyvinyl chloride; aluminium; potassium nitrate) |
| China - IECSC | Yes |
| Europe - EINEC / ELINCS / NLP | No (polyvinyl chloride) |
| Japan - ENCS | No (magnesium; aluminium) |
| Korea - KECI | Yes |
| New Zealand - NZIoC | Yes |
| Philippines - PICCS | Yes |
| USA - TSCA | Yes |
| Taiwan - TCSI | Yes |
| Mexico - INSQ | Yes |
| Vietnam - NCI | Yes |
| Russia - ARIPS | Yes |
| Thailand - TECI | No (polyvinyl chloride; aluminium) |
| Legend: | Yes = All CAS declared ingredients are on the inventory No = Not determined or one or more ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets) |

SECTION 16 OTHER INFORMATION

| Revision Date | 05/09/2016 |
|---------------|---------------|
| Initial Date | Not Available |

SDS Version Summary

| Version | Issue Date | Sections Updated |
|---------|---------------|---|
| 2.1.1.1 | 04/07/2016 | Environmental, Fire Fighter (fire/explosion hazard), Personal Protection (Respirator), Storage (storage incompatibility), Storage (storage requirement) |

Other information

Page 10 of 10

RED HANDFLARE

Issue Date: **24/09/2021**Print Date: **24/09/2021**

| Name | CAS No |
|-------------------|------------------------|
| strontium nitrate | 10042-76-9, 13470-05-8 |

Wescom Group: 63-8488 Page 11 of 10 Issue Date: 24/09/2021 Version No: 3.1.1.1 Print Date: 24/09/2021

RED HANDFLARE

| barium nitrate | 10022-31-8, 34053-87-7 |
|----------------|------------------------|
| aluminium | 7429-90-5, 91728-14-2 |

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Wescom Group Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

PC-TWA: Permissible Concentration-Time Weighted Average PC $-\mathsf{STEL}$: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit
TEEL: Temporary Emergency Exposure Limit.

IDLH: Immediately Dangerous to Life or Health Concentrations

OSF: Odour Safety Factor

NOAEL :No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value LOD: Limit Of Detection OTV: Odour Threshold Value BCF: BioConcentration Factors BEI: Biological Exposure Index