# **MATERIAL SAFETY DATA**

#### **IDENTIFICATION** Product Name: INOX-mx3 Product Codes: 00003 - 100g Aerosol 00008 - 125ml Pump Pack 00001 - 300g Aerosol 00004 - 5 Litre 00005 - 20 Litre 205 Litre **UN Number:** NON-AEROSOL **AEROSOL** None established UN 1950 DG Class: Not applicable Class 2.1 Hazchem Code: None established 3 Poisons Schedule: None established Use: Anti-corrosion/anti-moisture - penetrating oil PHYSICAL DESCRIPTION/PROPERTIES Clear, light tan liquid Appearance: -18°C Pour Point: **NON-AEROSOL** Flashpoint: AEROSOL 182°C HIGHLY FLAMMABLE - Contents under pressure. 182°C when propellant gas has dissipated Vapour Pressure: < 6 kPa Specify Gravity: .840 Flammability Limits: LEL < 4% UEL - not known Solubility in Water: Negligible INGREDIENTS **NON-AEROSOL Chemical Name CAS Number** Proportion 'Ingredients determined not 100% to hazardous' **AEROSOL** 24% Butane 106-97-8 74-98-6 Propane 6% 70% 'Ingredients determined not to be hazardous FOOD GRADE APPROVALS Australia: Type A Lubricant - Instrument of Approval is freely available on request. New Zealand: C12 MAF (Meat, Fish & Game) N.A.T.O. Defence Manufacturer's Code No. Z5594/5 HEALTH HAZARD INFORMATION **HEALTH EFFECTS** Halogens: None Carcinogens: None

 Threshold limit value:
 Not known

 ACUTE
 Swallowed:
 May cause stomach upset.

 System
 Mild irritant.

 Skin:
 Non irritant.

 Inhaled:
 Inhalation of mist and aerosols may produce respiratory irritation and coughing.

 Chronic:
 Repeated or prolonged exposure may cause dermatitis.

## **FIRST AID**

Swallowed: Eyes:	Do not induce vomiting, give 1 to 2 glasses of water to drink. Seek medical help. Irrigate thoroughly with water, if irritation occurs, seek medical advice.
Skin:	Wash area with soap and water. Remove contaminated clothing and launder before re-use.
Isolation:	Remove from further exposure. If irritation, dizziness, nausea or unconsciousness occurs, get medical assistance. Use mouth to mouth resuscitation if breathing has stopped.

#### ADVICE TO DOCTOR

Treat accordingly as for conditions that might arise with the use of mineral oil based products.

## PRECAUTIONS FOR USE

#### **EXPOSURE STANDARDS**

Eyes:	Very mild irritant - normal industrial eye protection practices should be employed.
Skin:	Non irritant - follow standard worksafe practices.
respiratory:	No special requirements under ordinary conditions of use and with adequate ventilation.
Ventilation:	Use in well ventilated areas.
Flammability:	Combustible liquid. Not considered to be a significant fire risk.

# SAFE HANDLING INFORMATION

#### STORAGE AND TRANSPORT

**NON-AEROSOL:** Not defined as dangerous goods under the Australian Code for the Transport of Dangerous Goods for Road and Rail. Store away from sources of heat and ignition. Keep containers closed at all times. Store undercover and out of the weather.

AEROSOL: Aerosol packs are defined as dangerous goods under the Australian Code for the Transport of Dangerous Goods for Road and Rail.

#### UN 1950 DG Class 2.1 Hazchem Code 3.

Do not store at temperatures over 50 °C. Do not puncture or incinerate can even empty. Do not store in direct sunlight for prolonged periods. Store undercover and out of the weather.

#### SPILLS

Absorb with fire retardant treated sawdust, diatomaceous earth, etc. Use appropriate waste disposal facilities in accordance with current applicable laws or regulations. Do not allow spills to enter drains or waterways.

#### **EXTINGUISHING MEDIA**

Foam, carbon dioxide and dry chemical powder.

#### FIRE/EXPLOSION HAZARD

Special Fire Fighting procedures:

#### NON AEROSOL - None

AEROSOL - Highly flammable. Contents under pressure. May be explosive. Use self contained breathing apparatus for fire in enclosed

Special Protective Equipment:

areas. None.

Unusual Fire and Explosion Hazards:

NFPA Hazard ID:	NON AEROSOL Health - 0 Flammability - 1 Reactivity - 0	
REACTIVITY DATA		

AEROSOL Health - 0 Flammability - 2 Reactivity - 0

#### TOXICITY

Contains no scheduled compounds.

RE

Stability: Conditions to Avoid: Incompatibility: Hazardous Decomposition Products: Hazardous Polymerisation:

(Thermal, light, etc.) Stable. Extreme heat Strong oxidisers. Carbon Monoxide.

Will not occur.

The information contained herein is based on data of which we are aware and believe to be correct as at the date hereof. Since the information contained herein may be applied under conditions beyond our control and with which we may be unfamiliar, we do not assume any responsibility for the results of it's use. (MX3)