

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 21-9-2016 Revision date: 21-9-2016 Supersedes: 31-5-2016 Version: 14.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixtures

Trade name : AQUA KEM BLUE SACHETS

Product code : 30260-TBV

Type of product : Additive for the waste-holding tank of mobile toilets

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Intended for general public

Main use category : Consumer use

Use of the substance/mixture : Additive for the waste-holding tank of mobile toilets
Function or use category : Cleaning/washing agents and additives, Odour agents

Title	Use descriptors
Consumer use of washing and cleaning products	SU21, PC35, ERC8a

Full text of use descriptors: see section 16

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

#### Manufacturer

Thetford BV
Nijverheidsweg 29
4879 AP Etten-Leur - The Netherlands
T +31(0)765042200 - F +31(0)765042300
sds@thetford.eu - www.thetford-europe.com

#### 1.4. Emergency telephone number

Emergency number : Thetford B.V.: +31 (0)76 5042200 (Reachable during office hours)

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital, Guy's & St Thomas' Hospital Trust	Dudley Road B18 7QH Birmingham	0844 892 0111 (UK only, Monday to Friday, 08.00 to 18.00 hours)	

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4 H302
Skin corrosion/irritation, Category 2 H315
Serious eye damage/eye irritation, Category 1 H318
Hazardous to the aquatic environment — Acute Hazard, Category 1 H400

Full text of H statements : see section 16

### Adverse physicochemical, human health and environmental effects

No additional information available

21-9-2016 EN (English) SDS Ref.: 30260 1/9

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







GHS05 GHS07

GHS

Signal word (CLP) : Danger

Hazardous ingredients : 2-BROMO-2-NITROPROPANE-1,3-DIOL

Hazard statements (CLP) : H302 - Harmful if swallowed H315 - Causes skin irritation

> H318 - Causes serious eye damage H400 - Very toxic to aquatic life

Precautionary statements (CLP) : P102 - Keep out of reach of children

P264 - Wash hands thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P273 - Avoid release to the environment

P301+P312 - IF SWALLOWED: Call a doctor if you feel unwell

Extra phrases : Do not open sachets or handle with wet hands!

Security closing plug for children : Not applicable Tactile warning : Applicable

### Labelling according to: exemption for packages of a capacity of 125ml or less

Hazard pictograms (CLP)







GHS05

311003

: Danger

: H302 - Harmful if swallowed H318 - Causes serious eye damage

Precautionary statements (CLP) : P102 - Keep out of reach of children

P264 - Wash hands thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P273 - Avoid release to the environment

P301+P312 - IF SWALLOWED: Call a doctor if you feel unwell

#### 2.3. Other hazards

Signal word (CLP)

Hazard statements (CLP)

Other hazards not contributing to the

classification

: None under normal conditions.

### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-BROMO-2-NITROPROPANE-1,3-DIOL	(CAS No) 52-51-7 (EC no) 200-143-0 (EC index no) 603-085-00-8	10 - 20	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 STOT SE 3, H335 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400
EUCALYPTOL	(CAS No) 470-82-6 (EC no) 207-431-5	0,1 - 1	Flam. Liq. 3, H226 Skin Sens. 1, H317

Full text of H-statements: see section 16

21-9-2016 EN (English) SDS Ref.: 30260 2/9

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Not applicable (do not open sachets). In case of an accident (broken sachets), go into fresh air.

If rapid recovery does not occur, obtain medical attention.

First-aid measures after skin contact : Remove contaminated clothing and shoes. Flush with plenty of water. Seek medical attention if

irritation develops.

First-aid measures after eye contact : In case of eye contact, immediately rinse with clean water for 10-15 minutes. Seek medical

advice

First-aid measures after ingestion : Rinse mouth. If swallowed, seek medical advice immediately and show this container or label.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : May cause respiratory irritation.

Symptoms/injuries after skin contact : Causes skin irritation.

Symptoms/injuries after eye contact : Causes serious eye damage.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Foam. Carbon dioxide. Dry powder.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : In case of fire, product can produce hazardous vapours and fumes.

### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Other information : The product is not flammable.

### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Clear up any spilled product immediately. In case of broken sachets, do not breath dust and

wear suitable protective clothing, gloves and eye / face protection. In case of insufficient

ventilation wear suitable respiratory equipment.

### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area

#### 6.2. Environmental precautions

Prevent any contamination of surface water or groundwater by the undiluted product. Product should be treated (biological waste water treatment) before entering surface waters.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect the spilled product (mechanical) and avoid dust and store in a container. Next, rinse the

contaminated surface with water and leave it to dry. Dispose of in accordance with the

procedure set out in section 13.

### 6.4. Reference to other sections

Exposure controls and personal protection. See also sections 8 and 13.

### SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes.

Hygiene measures : Wash hands immediately after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store at temperatures below 40°C. Keep away from food, drink and animal feedingstuffs. Store away from alkalines, metals and oxidizing agents.

21-9-2016 EN (English) SDS Ref.: 30260 3/9

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 7.3. Specific end use(s)

Aqua Kem Blue Sachets is an additive for the holding tank of your mobile toilet. It reduces and masks unpleasant smells. Helps to prevent gas build up. Keeps your tank clean.

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

No additional information available

### 8.2. Exposure controls

### Personal protective equipment:

Avoid all unnecessary exposure.

### Hand protection:

Wear protective gloves

#### Eye protection:

Chemical goggles or safety glasses

#### Skin and body protection:

Wear suitable protective clothing

### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

### Consumer exposure controls:

Read the instructions for use before handling and dispensing this product.

#### Other information:

Do not eat, drink or smoke during use.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state : Solid

Appearance : Granular solid.

Colour : Blue.
Odour : Pine.

Odour threshold : No data available pH : 4 - 6 (10%)
Relative evaporation rate (butylacetate=1) : No data available Melting point : No data available Freezing point : No data available Boiling point : No data available : No data available

Flash point : > 100 °C

Auto-ignition temperature : No data available : No data available Decomposition temperature Flammability (solid, gas) Non flammable Vapour pressure : No data available Relative vapour density at 20 °C : No data available Relative density : No data available Density 1,05 - 1,15 g/ml Solubility Water: 100 % Log Pow : No data available : No data available Viscosity, kinematic Viscosity, dynamic No data available : No data available Explosive properties Oxidising properties : No data available **Explosive limits** : No data available

21-9-2016 EN (English) SDS Ref.: 30260 4/9

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 9.2. Other information

VOC content : 0,3 %

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No additional information available

#### 10.2. Chemical stability

Stable up to 50°C. At an average temperature of 30°C, Aqua Kem Blue Sachets can be kept for several years. After a few years, there might be a slight reduction in strength.

### 10.3. Possibility of hazardous reactions

Not established.

### 10.4. Conditions to avoid

See section 7.

#### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

According to process conditions, hazardous decomposition products may be generated. Carbon monoxide. Carbon dioxide. Nitrogen oxides.

### **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Acute toxicity : Oral: Harmful if swallowed.

ATE CLP (oral)	902,346 mg/kg bodyweight	
2-BROMO-2-NITROPROPANE-1,3-DIOL (52-51-7)		
LD50 oral rat	303 mg/kg	
LD50 oral	180 mg/kg bodyweight	
LD50 dermal rat	> 2000 mg/kg	
LD50 dermal	1600 mg/kg bodyweight	
LC50 inhalation rat (mg/l)	> 5000 mg/kg	
LC50 inhalation rat (ppm)	800 ppm	
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 5000 mg/l/4h	

Skin corrosion/irritation : Causes skin irritation.

pH: 4 - 6 (10%)

Additional information : Causes skin irritation

Serious eye damage/irritation : Causes serious eye damage.

pH: 4 - 6 (10%)

Additional information : Causes serious eye damage

Respiratory or skin sensitisation : Not classified

Additional information : Based on available data, the classification criteria are not met

Germ cell mutagenicity : Not classified

Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Reproductive toxicity : Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-single exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-repeated exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

Aspiration hazard : Not classified

Additional information : Based on available data, the classification criteria are not met

Potential adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met.

21-9-2016 EN (English) SDS Ref.: 30260 5/9

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### **SECTION 12: Ecological information**

### Toxicity

Ecology - water : Very toxic to aquatic life.

2-BROMO-2-NITROPROPANE-1,3-DIOL (52-51-7)		
LC50 fish 1	26,4 mg/l	
EC50 Daphnia 2	1,08 mg/l Daphnia magna	
EC50 other aquatic organisms 1	1,4 mg/l EC50 waterflea (48 h)	
EC50 other aquatic organisms 2	0,4 mg/l IC50 algea (72 h) mg/l	

### Persistence and degradability

AQUA KEM BLUE SACHETS	
Persistence and degradability	The surfactant used in this product shows a biodegradability of > 60 % (readily biodegradable), according to OECD 301 D, Closed Bottle Test (Information of manufacturer). The fragrance is > 60 % biodegradable according to OECD 301D, Closed Bottle Test.

#### **Bioaccumulative potential** 12.3.

AQUA KEM BLUE SACHETS	
Bioaccumulative potential	Not established.

#### 12.4. **Mobility in soil**

No additional information available

### Results of PBT and vPvB assessment

No additional information available

#### Other adverse effects

Additional information : Avoid release to the environment

### **SECTION 13: Disposal considerations**

### Waste treatment methods

: Product residues should be treated as chemical waste in accordance with government Waste disposal recommendations

regulations. Rinsed packaging may be used for recycling.

Ecology - waste materials : Avoid release to the environment.

### **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
Special provision(s) applied: 375	Special provision(s) applied : 969	Special provision(s) applied: A197	Special provision(s) applied: 375	Special provision(s) applied: 375
14.1. UN number				
3077	3077	3077	3077	3077
14.2. UN proper shipp	ing name			
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.	Environmentally hazardous substance, solid, n.o.s.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
Transport document desc		·	•	·
UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (bronopol (INN), 2- bromo-2-nitropropane-1,3- diol(52-51-7)), 9, III, (E)	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., 9, III	UN 3077 Environmentally hazardous substance, solid, n.o.s., 9, III	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., 9, III	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., 9, III
14.3. Transport hazard	d class(es)		,	
9	9	9	9	9
14.4. Packing group				
III	III	III	III	III
14.5. Environmental ha				
Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the
21-9-2016	EN (E	inglish)	SDS Ref.: 30260	6/9

EN (English) SDS Ref.: 30260

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ADR	IMDG	IATA	ADN	RID
environment : Yes	environment : Yes Marine pollutant : Yes	environment : Yes	environment : Yes	environment : Yes
ADR 5.2.1.8.1 derogation applies (quantity of liquids ≤ 5 litres or net mass of solids ≤ 5 kg)				
No supplementary information available				

#### 14.6. Special precautions for user

#### - Overland transport

Classification code (ADR) : M7

Special provisions (ADR) : 274, 335, 601, 375

Limited quantities (ADR) : 5kg : E1 Excepted quantities (ADR)

Packing instructions (ADR) : P002, IBC08, LP02, R001

Special packing provisions (ADR) : PP12, B3 Mixed packing provisions (ADR) : MP10 : T1, BK1, BK2

Portable tank and bulk container instructions

(ADR)

Portable tank and bulk container special

provisions (ADR)

Tank code (ADR) Vehicle for tank carriage : AT : 3 Transport category (ADR) : V13

Special provisions for carriage - Packages

(ADR)

: VC1, VC2 Special provisions for carriage - Bulk (ADR) Special provisions for carriage - Loading, : CV13

unloading and handling (ADR)

Hazard identification number (Kemler No.)

Orange plates

: 90

: TP33

: SGAV, LGBV

90 3077

Tunnel restriction code (ADR) : E EAC code : 2Z

#### - Transport by sea

Special provisions (IMDG) : 274, 335, 966, 967, 969

Limited quantities (IMDG) : 5 kg Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : P002, LP02 : PP12 Special packing provisions (IMDG) IBC packing instructions (IMDG) : IBC08 IBC special provisions (IMDG) : B3

Tank instructions (IMDG) : T1, BK1, BK2, BK3

Tank special provisions (IMDG) : TP33 EmS-No. (Fire) : F-A : S-F EmS-No. (Spillage) Stowage category (IMDG) : A Stowage and handling (IMDG) : SW23 MFAG-No : 171

### - Air transport

PCA Excepted quantities (IATA) : E1 PCA Limited quantities (IATA) : Y956 PCA limited quantity max net quantity (IATA) : 30kgG PCA packing instructions (IATA) : 956 PCA max net quantity (IATA) : 400kg CAO packing instructions (IATA) : 956 CAO max net quantity (IATA) : 400kg

21-9-2016 EN (English) SDS Ref.: 30260 7/9

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Special provisions (IATA) : A97, A158, A179, A197

ERG code (IATA) : 9L

- Inland waterway transport

Classification code (ADN) : M7

Special provisions (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 kg

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T\* B\*\*

Equipment required (ADN) : PP, A

Number of blue cones/lights (ADN) : 0

- Rail transport

Classification code (RID) : M7

Special provisions (RID) : 274, 335, 375, 601

Limited quantities (RID) : 5kg
Excepted quantities (RID) : E1

Packing instructions (RID) : P002, IBC08, LP02, R001

Special packing provisions (RID) : PP12, B3

Mixed packing provisions (RID) : MP10

Portable tank and bulk container instructions : T1, BK1, BK2

(RID)

Portable tank and bulk container special

: TP33

provisions (RID)

Tank codes for RID tanks (RID) : SGAV, LGBV

Transport category (RID) : 3
Special provisions for carriage – Packages : W13

RID)

Special provisions for carriage – Bulk (RID) : VC1, VC2 Special provisions for carriage - Loading, : CW13, CW31

unloading and handling (RID)

: CW13, CV

Colis express (express parcels) (RID) : CE11
Hazard identification number (RID) : 90

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

VOC content : 0,3 %

### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### **SECTION 16: Other information**

### Indication of changes:

•			
	Date of issue	Modified	
	Revision date	Modified	
	Supersedes	Modified	
2.1	Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]	Modified	

21-9-2016 EN (English) SDS Ref.: 30260 8/9

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2.2	R-phrases	Modified	
2.2	S-phrases	Modified	
2.2	Extra phrases	Removed	
2.2	Precautionary statements (CLP)	Modified	
11.1	ATE CLP (oral)	Modified	

Data sources

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

### Full text of H- and EUH-statements:

	· · · · · · · · · · · · · · · · · · ·
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Flam. Liq. 3	Flammable liquids, Category 3
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Sensitisation — Skin, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H226	Flammable liquid and vapour
H302	Harmful if swallowed
H312	Harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H335	May cause respiratory irritation
H400	Very toxic to aquatic life
ERC8a	Wide dispersive indoor use of processing aids in open systems
PC35	Washing and cleaning products (including solvent based products)
SU21	Consumer uses: Private households (= general public = consumers)

### SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

21-9-2016 EN (English) SDS Ref.: 30260 9/9